BRUSHES • CLEANERS • MAINTENANCE

The manual (pre-)cleaning of surgical instruments and products is a prerequisite for successful sterilisation. Given that the range of medical devices to be reprocessed is constantly growing and instruments are becoming increasingly complex, Interlock offers a selection of brushes, cleaners and maintenance products to cover various applications.

- Cleaning brushes which offer optimal value for money for the most widely used surgical instruments, flexible endoscopes and special reprocessing requirements
- Interlock's cleaners and maintenance products not only aid reprocessing but also the subsequent care of your instruments
- Brush sets and cleaning accessories as the perfect addition to the Interlock range
- Other cleaning accessories, such as our spreaders, ensure perfect results for instruments which cannot be disassembled

Special brushes

Round brushes

Endoscopy brushes

Pipe cleaners

Brush sets

Cleaners and maintenance

Other cleaning accessories





Brushes • Cleaners • Maintenance – Special brushes


The special brushes from Interlock Medizintechnik GmbH are ideal for cleaning the outside surfaces of instruments prior to mechanical cleaning and sterilisation. Regardless of how tough the soiling of your instruments is to remove, with our brushes which come in a wide variety of Hardnesses, sizes and shapes, you are sure to find the perfect solution. Even tough-to-remove coagulated blood residue is No longer a problem thanks to the specially designed nylon bristles. The Interlock special brushes are also well suited for cleaning acetabular reamers and removing residue from the joints of needle holders and scissors.

Interlock cleaning brushes

Heat-resistant up to 134°C, washable in washer-disinfectors

		REF	Bristle length in mm	Brush head length in mm	Total length in mm	Description	SU
	A	09084	5.0 and 10.0	25.0 and 35.0	175.0	With soft nylon bristles, double-sided, dark blue	2 units
	B	09098	5.0 and 10.0	25.0 and 35.0	175.0	With nylon bristles, double-sided	2 units
	C	09459	10.0 and 10.0	30.0 and 40.0	175.0	Extra-hard synthetic bristles for stubborn soilings, blue, double-sided	2 units
	D	09320	12.0 and 12.0	30.0 and 45.0	165.0	Extra-hard synthetic bristles for stubborn soilings, blue	10 units
		09478	15.0	75.0	215.0	Soft synthetic bristles, blue	1 unit
NEW	F	26491	15.0	75.0	215.0	Medium-hard synthetic bristles, blue	1 unit
NEW	G	26492	15.0	75.0	215.0	Hard synthetic bristles, blue	1 unit
	(1)	09485	15.0	75.0	235.0	Extra-hard synthetic bristles for stubborn soilings, blue, angled handle	2 units
		09460	15.0	75.0	215.0	Extra-hard synthetic bristles for stubborn soilings, blue	2 units





Brushes • Cleaners • Maintenance – Special brushes

Interlock cleaning brushes

Non heat-resistant, not washable in washer-disinfectors


	REF	Bristle length in mm	Brush head- length in mm	Total length in mm	Description	SU
A	09325	15.0	40.0	180.0	With stainless steel bristles for stubborn soilings, light blue	1 unit
B	09488	15.0	40.0	180.0	With synthetic bristles, light blue	1 unit
C	09489	15.0	40.0	180.0	With brass bristles, light blue	1 unit

Interlock cleaning brushes

With nylon bristles, non heat-resistant, Not washable in washer-disinfectors

	REF	Bristle length in mm	Brush head length To	otal length i mm	n Description	SU
D	26029	Can be adjusted individually	23	55	Sliding brush, bristle Hardness can be regulated	3 units
E	09064	15 and 12 - 15	10.0 and 30.0	155.0	Instrument cleaning brush, double-sided, with synthetic bristles	10 units
F	26023	Ø: 40 and 8	45 and 25	190	With a round and conically tapered brush head, double-sided, white	3 units
6	26032	Ø: 40 and 8	45 and 25	190	Like REF 26023, with a curved brush head	3 units





Before (pre-)cleaning instruments with narrow channels, such as frazier aspirators and intramedullary reamers, it is essential to use a round brush which is perfectly matched to the inside diameter. If a brush is selected which is only marginally too thin, then an optimal cleaning result canNot be guaranteed. If, on the other hand, a diameter is chosen which is too large, it is possible that the instrument could be damaged. This is why Interlock offers a range of different round brushes in a variety of lengths. As such, even trocars and valves No longer present a problem. All Interlock round brushes are made of stainless steel wire and premium nylon bristles.

Interlock cleaning brushes

Made of stainless steel, with nylon bristles, heat-resistant up to 134°C, washable in washer-disinfectors

		REF	Brush head Ø in mm	Brush head- length in mm	Total length in mm	Description	SU
	A	45906	1.6	22.0	215.0	Ring handle with white bead, for frazier aspirators	3 units
•	3	45908	2.0	21.0	215.0	Ring handle with black bead, for frazier aspirators	3 units
	•	45910	2.5	21.0	215.0	Ring handle with pink bead, for frazier aspirators	3 units
		45912	3.0	18.0	215.0	Ring handle with orange bead, for frazier aspirators	3 units
	•	45914	4.0	18.5	215.0	Ring handle with blue bead, for frazier aspirators	3 units
	•	09095	1.0	13.0	450.0	With ring handle	2 units
	3	09099	1.6	13.0	450.0	With ring handle	2 units
•)	09319	1.8	13.0	450.0	With ring handle	2 units

Interlock cleaning brushes for aspirators

Not reprocessable, packed singly, with pipe cleaner and nylon brushl


	REF	Brush head-Ø in mm	Brush head- length in mm	Pipe cleaner length in mm	Total length in mm	Colour	Description	SU
	26480	3.0	20	30	390	Blue	2 brush heads	10 units
0	26481	6.0	20	30	390	Yellow	2 brush heads	10 units

Interlock cleaning brushes

With nylon bristles

	REF	Brush head Ø in mm	Brush head- length in mm	Total length in mm	Heat resistance		Description	SU
K	09049	5.0	20.0	150.0	No	No	For single use only	100 units
K	09322	5.0	20.0	200.0	No	No	For single use only	100 units
•	09490	3.0	100.0	800.0	Up to 134°C	Yes	For intramedullary reamers, stainless steel wire (V2A), deburred tip	3 units
M	09492	5.0	100.0	800.0	Up to 134°C	Yes	For intramedullary reamers, stainless steel wire (V2A), tip with cap	3 units
N	09491	7.0	100.0	800.0	Up to 134°C	Yes	For intramedullary reamers, stainless steel wire (V2A), tip with cap	3 units
0	09303	10.0	45.0	140.0	Up to 134°C	Yes	Made of stainless steel, for Nozzles	5 units
P	09458	40.0	60.0	650.0	Up to 134°C	Yes	Made of stainless steel, for Bülau bottles	5 units






Interlock brushes with round brush head

With nylon bristles, stainless steel wire

	REF	Brush head- Ø in mm	Brush head- length in mm	Total length in mm	Heat resistance	Washable in washerdisin- fectors	•	SU
A	09366	0.6	8.0	450.0	Up to 134°C	Yes	First 90 mm without bristles, bristle material: Tynex, white, \varnothing 2 mils, twisted	5 units
В	09388	1.4	8.0	450.0	Up to 134°C	Yes	First 90 mm without bristles, bristle material: Tynex, white, \varnothing 2 mils, twisted	5 units
C	09096	20.0	70.0	270.0	No	Yes	For anoscopes, proctoscopes/ rectoscopes, tip with cap, 110 mm plastic handle	1 unit
D	09331	20.0	150.0	450.0	Up to 134°C	Yes	For rectoscopes	5 units
(3	09338	3.5	60.0	265.0	No	No	With plastic handle	2 units
(09380	15 - 20	100.0	460.0	No	No	For instruments, with coated wire and conical brush head	1 unit
F	09333	15 - 20	100.0	280.0	No	No	For instruments, with coated wire and conical brush head	1 unit






Interlock cleaning brushes for MIS instruments

NEW

With nylon bristles, stainless steel wire, heat-resistant up to 134°C, washable in washer-disinfectors

	REF	Brush head-Ø in mm	Brush head length in mm	Total length in mm	Protective cap	SU
A	09339	2.0	100	300	No	5 units
B	09342	2.0	60	350	No	5 units
C	09308	2.5	50	300	No	5 units
D	09340	2.5	100	300	No	5 units
B	09343	2.5	80	400	No	5 units
6	09050	2.5	30	500	No	5 units
G	09313	2.5	50	610	No	5 units
	09341	3.0	100	300	No	5 units
	09344	3.0	100	450	No	5 units
0	09335	3.5	100	250	No	5 units
K	09346	3.5	35	500	No	5 units
	09345	4.0	100	500	Yes	5 units
M	09745	4.0	80	400	Yes	1 unit
N	09052	4.0	100	300	Yes	5 units
0	09336	5.0	100	250	Yes	5 units
P	09306	5.0	100	300	Yes	5 units
0	09318	5.0	80	405	Yes	5 units
R	09324	5.0	35	500	Yes	5 units
S	09312	5.0	100	610	Yes	5 units
•	09317	5.0	100	650	Yes	5 units
0	09365	5.0	100	850	Yes	5 units
V	09053	6.0	100	300	Yes	5 units
W	09307	7.0	100	300	Yes	5 units
X	09051	7.0	80	350	Yes	5 units
Y	09058	7.0	50	405	Yes	5 units
2	09068	7.0	100	500	Yes	5 units
AA	09311	7.0	100	610	Yes	5 units
BB	09316	7.0	100	650	Yes	5 units
CC	09054	8.0	100	300	Yes	5 units





Interlock cleaning brushes for MIS instruments

With nylon bristles, stainless steel wire, heat-resistant up to 134°C, washable in washer-disinfectors

		REF	Brush head-Ø in mm	Brush head length in mm	Total length in mm	Protective cap	SU
NEW	*	09746	8.0	80	400	Yes	1 unit
	A	09055	10.0	100	300	Yes	5 units
NEW	B	09747	10.0	80	400	Yes	1 unit
	G	09499	10.0	50	405	Yes	5 units
	D	09310	10.0	100	610	Yes	5 units
	(3	09315	10.0	100	650	Yes	5 units
	(3)	09309	12.0	100	610	Yes	5 units
	G	09314	12.0	100	650	Yes	5 units
	(H)	09056	15.0	100	300	Yes	5 units
		09066	15.0	100	800	Yes	5 units
	•	09332	20.0	100	500	Yes	5 units
	K	09059	30.0	80	300	Yes	5 units
		09334	40.0	60	500	Yes	5 units
		00000	50.0	100	1400	Voc	5 unito












NEW Cleaning brushes for MIS instruments

For single use, hard bristles to loosen coarse impurities, plastic shaft for good flexibility

	REF	Brush head-Ø in mm	Brush head length in mm	Total length in mm	SU
(26475	5.0	50.0	610	5 units
G	26476	7.0	50.0	610	5 units
	26477	10.0	50.0	610	5 units
(26478	15.0	50.0	610	5 units





Brushes • Cleaners • Maintenance – Endoscopy brushes

Double-sided cleaning brushes for cleaning endoscope working channels help you to reprocess flexible endoscopes thoroughly. You must ensure that the correct brush is selected to avoid damaging the instrument and to achieve a perfect cleaning result. Interlock Medizintechnik GmbH features an impressive range of brushes. The diverse brush head shapes, diameters and brush lengths are particularly worthy of mention, as are the extremely handy hybrid brushes with a cleaning brush on one end and, for example, a pipe or valve cleaner on the other. There is a small integrated ball on the end of the brush heads to protect the expensive instruments and prevent the inner channels from being damaged by the stainless steel wire.

Interlock cleaning brushes for endoscopes

For single use, individually packed

	REF	Brush head-Ø in mm	Brush head- length in mm	0	Channel Ø in mm	Tube Ø in mm	Colour	Description	SU
A	09352	2.0	12	1000	1.2 - 1.5	1.0	Yellow	Double-sided	1 unit
B	26024	2.5	14	2300	1.4 - 2.0	1.2	Yellow	Single-sided	50 units
C	26090	2.5	14	2300	1.2 - 1.8	1.0	Red	Double-sided	1 unit
D	09353	3.0	15	1000	2.0 - 2.8	1.6	White	Double-sided	1 unit
(3)	26022	3.0	20	2300	2.0 - 2.8	1.8	Blue	Double-sided	50 units
6	26020	5.0	20	2300	2.8 - 4.2	1.8	Red	Double-sided	50 units
G	26021	6.0	20	2300	2.8 - 4.5	1.8	Turquoise	Double-sided	50 units
H	26482	6.0	20	3600	2.8 - 4.5	1.7	Turquoise	Double-sided	50 units
	26025	4 - 6 3 - 5	24 15	2300	2.8 - 4.5	1.8	Yellow	Double-sided, with conical heads	50 units
0	26028	5.5 (channel) 10.0 (valve)	23.5 (channel) 30.0 (valve)	2300	2.8 - 4.5	1.8	Turquoise	Double-sided, with valve/channel cleaning brush	50 units
K	26037	5 10	20 40	2300	2 - 4	1.7	Green	Double-sided	50 units

Interlock valve cleaning brush

For single use, individually packed, with nylon bristles

	REF	Brush head-Ø in mm	Brush head length in mm	Total length in mm	Colour	Description	SU
0	26027	5.2 and 11	19.5 and 28.5	156	Red	Double-sided	100 units
M	26038	10	40	103	Red	Single-sided	100 units

NEW

Interlock cleaning brushes for instruments and flexible endoscopes


For single use only, individually packed, with pipe cleaner and nylon brush

	REF	Brush head-Ø in mm		Pipe cleaner length in mm	Total length in mm	Channel Ø in mm	Colour	Description	SU
N	26305	3.0	20	300	2300	2.0 - 2.8	Blue	Double-sided	50 units
0	26026	5.0	20	310	2650	2.8 - 4.0	Yellow	Double-sided	50 units

Interlock cleaning brush set for endoscopes

For single use only, individually packed

	REF	Suitable for	Brush head-Ø in mm	Brush head length in mm	Total length in mm	Colour	Description	SU
P	09356	Endoscopes	6.5	20	2570	Blue	Double-sided	1 unit
		Valves	4.5 10	18 30	150	Yellow	Double-sided	1 unit



Brushes • Cleaners • Maintenance - Pipe cleaners

It is often difficult to find suitable reprocessing aids for pre-cleaning ENT and neurosurgery aspirators. Interlock offers just the solution for these tasks in the form of pipe cleaners. In order to satisfy the special medical requirements, the pipe cleaners come in a variety of diameters, lengths, shapes and materials with Soft and Hard cleaning properties. Cotton and fleece are particularly well suited for gentle cleaning given the Soft nature of these materials. Nylon bristles, on the other hand, are better for tough-to-remove residues due to their Hardness. Depending on the application requirements, the lengths vary from 20 cm to up to 10 m on a reel. The pipe cleaners are sold in intelligently compiled dispensers to provide users with an ideal range.

- A range of diameters, lengths, shapes and bristles of different Hardnesses are available.
- Cotton and fleece (Soft) are particularly well suited for gentle cleaning due to the Soft nature of these
- Nylon mix versions (Medium) are better suited for more stubborn residue due to their Hardness (integrated nylon bristles between cotton and polYester fibres).

Interlock pipe cleaners on a reel

For single use only

	REF	Ø in mm	Length in m	Material	Hardness	Nylon bristles	SU
A	26322	3.0	10	Cotton	Soft	No	1 reel
B	26336	3.0	7.5	Polyester – Nylon	Medium	Yes	1 reel
C	26323	3.0	10	Cotton – Nylon	Medium	Yes	1 reel
D	26337	6.0	7.5	Polyester – Nylon	Medium	Yes	1 reel
(3	26328	15.0	5	Polyester – Nylon	Medium	Yes	1 reel
(3)	26329	15.0 / 4.0	5	Polyester – Nylon	Medium	Yes	1 reel
G	26334	3.0	7.5	Polyester – Nylon	Hard	Yes	1 reel
•	26335	6.0	7.5	Polyester – Nylon	Hard	Yes	1 reel

Interlock pipe cleaners - loose

For single use only

	REF	Ø in mm	Length in mm	Material	Hardness	Nylon bristles	SU
	26324	3.0	150	Cotton – Nylon	Soft + hard	Yes	100 units
•	26342	3.0	300	Polyester (non-woven)	Soft	No	50 units
K	26325	9.0	300	Polyester (non-woven)	Soft	No	50 units
•	26326	12.0	300	Polyester (non-woven)	Soft	No	50 units
M	26327	15.0	300	Polyester – Nylon	Medium	Yes	20 units





Brushes • Cleaners • Maintenance – Pipe cleaners


Interlock Pipe cleaner dispenser


	REF	Format in mm	Designation	Description	SU
A	26330	285 x 190 x 180	Dispenser set with disposable pipe cleaners	Made of plastic, with cutter Contents: Per 1 SU REF 26322 - 26328	1 unit
A	26332	285 x 190 x 180	Dispenser set with disposable pipe cleaners	Made of plastic, no contents	1 unit
A	26331	-	Refill set for REF 26330 and 26332	Contents: Per 1 SU REF 26322 - 26328	1 set
B	26338	205 x 190 x 180	Dispenser set with disposable pipe cleaners on a reel	Made of plastic, with cutter Contents: Per 1 SU REF 26334 - 26337	1 unit
B	26341	205 x 190 x 180	Dispenser for disposable pipe cleaners on a reel	Made of plastic, no contents	1 unit
В	26339	-	Refill set for REF 26338 and 26341	Contents: Per 1 SU REF 26334 - 26337	1 set

Interlock Pipe cleaner accessories

REFDesignationSUNEW©26353Cutter for pipecleaners1 unit







Brushes • Cleaners • Maintenance - Brush sets

The wide range of different instruments means that perfectly adapted brushes are always required. The Interlock brush sets provide a basic range of brushes for your day-to-day work. Interlock offers two sets with just round brushes, sets for cleaning cannulae, sleeves and trocars and an all-round set for cleaning most instruments. The sets contain a compilation of brushes of different shapes and diameters.

Interlock cleaning brush set – "Round brushes – small"

REF	Description	Quantity/SU
A 09057	7 Set comprising: 1 x REF 09050 (500 mm x 2.5 mm) 1 x REF 09051 (350 mm x 7.0 mm) 1 x REF 09052 (300 mm x 4.0 mm) 1 x REF 09053 (300 mm x 6.0 mm) 1 x REF 09054 (300 mm x 8.0 mm) 1 x REF 09055 (300 mm x 10.0 mm) 1 x REF 09056 (300 mm x 15.0 mm)	1 Set

Interlock cleaning brush set - "Round brushes - large"

O .		0	
REF Description			Quantity/SU
3 x REF 45908 3 x REF 45910 3 x REF 45912 3 x REF 45912 3 x REF 09338 3 x REF 09338 3 x REF 09341 3 x REF 09052 3 x REF 09053 3 x REF 09058 3 x REF 09058 3 x REF 09318 3 x REF 09312 3 x REF 09312 3 x REF 09312	(215 mm x 1.6 mm) (215 mm x 2.0 mm) (215 mm x 2.5 mm) (215 mm x 3.0 mm) (215 mm x 4.0 mm) (215 mm x 3.5 mm) (300 mm x 3.5 mm) (300 mm x 3.0 mm) (300 mm x 4.0 mm) (300 mm x 5.0 mm) (300 mm x 5.0 mm) (400 mm x 5.0 mm) (405 mm x 7.0 mm) (405 mm x 10.0 mm) (610 mm x 5.0 mm) (610 mm x 7.0 mm) (610 mm x 7.0 mm) (610 mm x 7.0 mm)		1 Set

