

Identification • Lettering – Colour coding

Colour coding makes it easier to assign individual products to different applications, departments and wards. Interlock offers an impressive range of identification options which can be chosen to suit your preferences and requirements.

- Interlock coloured beads and Interlock ColourCurls® come in different sizes and colours to mark your instruments
- Interlock plastic rings with easy closure for labelling sieve trays and instruments as well as for attaching tray labels
- Adhesive identification strips and spots in numerous designs
- Interlock repair tags made of plastic and Tyvek for labelling damaged instruments – blank or with (multilingual) imprint

Interlock coloured beads made of silicone for identifying instruments

Heat-resistant up to 134°C, for single use

| | REF | max. Ø in mm | Size | Colour | SU |
|---|-------|--------------|------------|-----------|-----------|
| Ⓐ | 09271 | 4 | Mini | Turquoise | 100 units |
| Ⓐ | 09272 | 4 | Mini | Green | 100 units |
| Ⓐ | 09273 | 4 | Mini | Blue | 100 units |
| Ⓐ | 09274 | 4 | Mini | Yellow | 100 units |
| Ⓐ | 09275 | 4 | Mini | Black | 100 units |
| Ⓐ | 09276 | 4 | Mini | Red | 100 units |
| Ⓐ | 09277 | 4 | Mini | White | 100 units |
| Ⓐ | 09278 | 4 | Mini | Orange | 100 units |
| Ⓐ | 09279 | 4 | Mini | Brown | 100 units |
| Ⓐ | 09280 | 4 | Mini | Grey | 100 units |
| Ⓐ | 09281 | 4 | Mini | Violet | 100 units |
| Ⓑ | 09289 | 8 | Maxi | Turquoise | 100 units |
| Ⓑ | 09290 | 8 | Maxi | Green | 100 units |
| Ⓑ | 09291 | 8 | Maxi | Blue | 100 units |
| Ⓑ | 09292 | 8 | Maxi | Yellow | 100 units |
| Ⓑ | 09293 | 8 | Maxi | Black | 100 units |
| Ⓑ | 09294 | 8 | Maxi | Red | 100 units |
| Ⓑ | 09295 | 8 | Maxi | White | 100 units |
| Ⓑ | 09296 | 8 | Maxi | Orange | 100 units |
| Ⓑ | 09297 | 8 | Maxi | Brown | 100 units |
| Ⓑ | 09298 | 8 | Maxi | Grey | 100 units |
| Ⓑ | 09299 | 8 | Maxi | Violet | 100 units |
| Ⓒ | 09652 | 20 | Super maxi | Turquoise | 100 units |
| Ⓒ | 09653 | 20 | Super maxi | Green | 100 units |
| Ⓒ | 09654 | 20 | Super maxi | Blue | 100 units |
| Ⓒ | 09655 | 20 | Super maxi | Yellow | 100 units |
| Ⓒ | 09656 | 20 | Super maxi | Black | 100 units |
| Ⓒ | 09657 | 20 | Super maxi | Red | 100 units |
| Ⓒ | 09658 | 20 | Super maxi | White | 100 units |
| Ⓒ | 09659 | 20 | Super maxi | Orange | 100 units |
| Ⓒ | 09660 | 20 | Super maxi | Brown | 100 units |
| Ⓒ | 09661 | 20 | Super maxi | Grey | 100 units |
| Ⓒ | 09662 | 20 | Super maxi | Violet | 100 units |



A



B



C



A video of the ColourCurls® in use is available on our website:
<http://www.interlockmed.com/colourcurls>



Identification • Lettering – Colour coding

Interlock ColourCurls® made of polypropylene (PP) for identifying instruments

Heat-resistant up to 134°C, for single use

| | REF | Ring grip Ø in mm | Size | Colour | SU |
|----------|-------|----------------------|------------|--------------|-----------|
| A | 09620 | Up to 3.5 | Mini | Light blue | 500 units |
| A | 09621 | Up to 3.5 | Mini | Dark blue | 500 units |
| A | 09622 | Up to 3.5 | Mini | Light green | 500 units |
| A | 09623 | Up to 3.5 | Mini | Dark green | 500 units |
| A | 09624 | Up to 3.5 | Mini | White | 500 units |
| A | 09625 | Up to 3.5 | Mini | Pink | 500 units |
| A | 09626 | Up to 3.5 | Mini | Dark red | 500 units |
| A | 09627 | Up to 3.5 | Mini | Light yellow | 500 units |
| A | 09628 | Up to 3.5 | Mini | Orange | 500 units |
| A | 09629 | Up to 3.5 | Mini | Brown | 500 units |
| A | 09630 | Up to 3.5 | Mini | Black | 500 units |
| A | 09631 | Up to 3.5 | Mini | Light violet | 500 units |
| A | 09632 | Up to 3.5 | Mini | Turquoise | 500 units |
| B | 09639 | Up to 6.0 | Maxi | Light blue | 500 units |
| B | 09640 | Up to 6.0 | Maxi | Dark blue | 500 units |
| B | 09641 | Up to 6.0 | Maxi | Light green | 500 units |
| B | 09642 | Up to 6.0 | Maxi | Dark green | 500 units |
| B | 09643 | Up to 6.0 | Maxi | White | 500 units |
| B | 09644 | Up to 6.0 | Maxi | Pink | 500 units |
| B | 09645 | Up to 6.0 | Maxi | Dark red | 500 units |
| B | 09646 | Up to 6.0 | Maxi | Light yellow | 500 units |
| B | 09647 | Up to 6.0 | Maxi | Orange | 500 units |
| B | 09648 | Up to 6.0 | Maxi | Brown | 500 units |
| B | 09649 | Up to 6.0 | Maxi | Black | 500 units |
| B | 09650 | Up to 6.0 | Maxi | Light violet | 500 units |
| B | 09651 | Up to 6.0 | Maxi | Turquoise | 500 units |
| B | 09695 | Up to 6.0 | Maxi | Grey | 500 units |
| C | 09663 | Up to 7.0 | Super maxi | Light blue | 100 units |
| C | 09664 | Up to 7.0 | Super maxi | Dark blue | 100 units |
| C | 09665 | Up to 7.0 | Super maxi | Light green | 100 units |
| C | 09666 | Up to 7.0 | Super maxi | Dark green | 100 units |
| C | 09667 | Up to 7.0 | Super maxi | White | 100 units |
| C | 09668 | Up to 7.0 | Super maxi | Pink | 100 units |
| C | 09669 | Up to 7.0 | Super maxi | Dark red | 100 units |
| C | 09670 | Up to 7.0 | Super maxi | Light yellow | 100 units |
| C | 09671 | Up to 7.0 | Super maxi | Orange | 100 units |
| C | 09672 | Up to 7.0 | Super maxi | Brown | 100 units |
| C | 09673 | Up to 7.0 | Super maxi | Black | 100 units |
| C | 09674 | Up to 7.0 | Super maxi | Light violet | 100 units |
| C | 09675 | Up to 7.0 | Super maxi | Turquoise | 100 units |






Identification • Lettering – Colour coding

Interlock fixing rings made of plastic for attaching tray labels

Heat-resistant up to 134°C, for single uses

| REF | Inside Ø in mm | Colour | SU |
|-------|-------------------|--------------|-----------|
| 09418 | 10 | Blue | 100 units |
| 09419 | 10 | Green | 100 units |
| 09420 | 10 | White | 100 units |
| 09421 | 10 | Red | 100 units |
| 09422 | 10 | Yellow | 100 units |
| 09423 | 10 | Orange | 100 units |
| 09424 | 10 | Purple | 100 units |
| 09425 | 10 | Black | 100 units |
| 09426 | 10 | Transparent | 100 units |
| 09585 | 10 | Pink | 100 units |
| 09595 | 10 | Light green | 100 units |
| 09596 | 10 | Dark blue | 100 units |
| 09597 | 10 | Brown | 100 units |
| 09598 | 10 | Ochre yellow | 100 units |





A



B



C



D



E



F



G

Identification • Lettering – Colour coding

Adhesive identification strips

Each sheet contains: 44 adhesive strips (50 x 6.35 mm), 44 adhesive strips (38 x 6.35 mm), 220 adhesive strips (25 x 6.35 mm) - heat-resistant up to 134°C - for single use

| | REF | Colour | Pattern / text / symbol | SU |
|---|-------|--------------------------|-------------------------|---------|
| A | 01742 | Black/white | Striped | 1 sheet |
| A | 01743 | Black/green | Striped | 1 sheet |
| A | 01744 | Black/red | Striped | 1 sheet |
| A | 01745 | Black/yellow | Striped | 1 sheet |
| A | 01746 | Black/orange | Striped | 1 sheet |
| A | 01747 | Black/grey | Striped | 1 sheet |
| A | 01748 | Black/lavender | Striped | 1 sheet |
| A | 01749 | Black/beige | Striped | 1 sheet |
| A | 01750 | Black/light-blue | Striped | 1 sheet |
| A | 01751 | Black/neon-green | Striped | 1 sheet |
| A | 01752 | Black/ pink | Striped | 1 sheet |
| A | 01753 | Black/ plum | Striped | 1 sheet |
| B | 01754 | White/ blue | Striped | 1 sheet |
| B | 01755 | White/green | Striped | 1 sheet |
| B | 01756 | White/red | Striped | 1 sheet |
| B | 01757 | White/yellow | Striped | 1 sheet |
| B | 01758 | White/orange | Striped | 1 sheet |
| B | 01759 | White/brown | Striped | 1 sheet |
| B | 01760 | White/black | Striped | 1 sheet |
| B | 01761 | White/lavender | Striped | 1 sheet |
| B | 01762 | White/light-blue | Striped | 1 sheet |
| B | 01763 | White/neon-green | Striped | 1 sheet |
| B | 01764 | White/pink | Striped | 1 sheet |
| B | 01765 | White/plum | Striped | 1 sheet |
| C | 01769 | Red/black/green | Striped | 1 sheet |
| D | 01770 | Blue/green | Striped | 1 sheet |
| D | 01771 | Blue/red | Striped | 1 sheet |
| D | 01772 | Yellow/blue | Striped | 1 sheet |
| D | 01773 | Yellow/green | Striped | 1 sheet |
| D | 01774 | Yellow/red | Striped | 1 sheet |
| E | 01778 | Pink fuchsia | White letter | 1 sheet |
| F | 01790 | Green/white | Uni, „ORTHO“ | 1 sheet |
| G | 01740 | Red/yellow/purple/orange | Uni | 1 sheet |
| G | 01741 | Blue/white/black/green | Uni | 1 sheet |






A



B



C



D



**Vorsicht!
Heiße
Oberfläche**

E



F



G



H



I



J

Identification • Lettering – Colour coding

Adhesive identification tape on a reel

Width 6 mm, length 66 m, core Ø 76 mm, heat-resistant up to 134°C, for single use

| | REF | Specification | SU |
|---|-------|---|--------|
| A | 01796 | Red with white symbol "For single use only" | 1 reel |
| B | 01797 | Red, without imprint | 1 reel |

Adhesive identification dots - Ø 10 mm

Strong adhesive, heat-resistant up to 134°C, core Ø 40 mm, for single use

| | REF | Colour | units/SU |
|---|-------|--------|----------|
| C | 01779 | Red | 500/reel |
| C | 01780 | Yellow | 500/reel |
| C | 01781 | Blue | 500/reel |
| C | 01782 | Green | 500/reel |
| C | 01783 | Black | 500/reel |
| C | 01784 | White | 500/reel |

Marking strips for marking sterilisation containers

With slit on the back, self-adhesive, for single use

| | REF | Format in mm | Colour | SU |
|---|-------|--------------|--------|------------|
| D | 01739 | 40 x 175 | Red | 1000 units |
| D | 01792 | 40 x 175 | Green | 1000 units |
| D | 01793 | 40 x 175 | Blue | 1000 units |
| D | 01795 | 40 x 175 | White | 1000 units |

Thermal caution label made of self-adhesive polyester film

for single use, heat-resistant to 80°C

| | REF | Format in mm | Description | SU |
|---|-------|--------------|--|--------|
| E | 20434 | 210 x 74 mm | Imprint: "Vorsicht! Heiße Oberfläche" (Caution! Hot surface) temperature depending (reversible) colour change from +55°C cold: text colour black hot: text colour red | 1 unit |

Interlock repair tag

For single use

| | REF | Colour | Imprint | Description | SU |
|---|-------|--------|---------------------|---|------------|
| F | 01260 | orange | "reparieren/repair" | made of plastic | 100 units |
| G | 02629 | red | "reparieren/repair" | made of plastic | 100 units |
| H | 01278 | red | "schärfen/sharpen" | made of plastic | 100 units |
| I | 01007 | white | "defekt/damaged" | made of Tyvek, washable up to 90°C, 160 x 30 mm | 1000 units |
| J | 04121 | white | - | made of Tyvek, washable up to 90°C, 160 x 30 mm | 1000 units |
| J | 04132 | white | - | made of Tyvek, washable up to 90°C, 190 x 30 mm | 1000 units |
| J | 04151 | White | - | made of PET, heat-resistant up to 134°C, washable up to 90°C, 190 x 30 mm | 500 units |





A



B



C



D



E



F



G

Identification • Lettering – Identification accessories

On the following pages you will find further proven aids for labelling your medical devices quickly and directly.

- Tie-on tags and holders for labelling your containers and trolleys
- Handy P-touch devices from Brother to place your customised text where required
- Labelling tapes for Brother devices – in a range of widths and colours
- Marker pens for quick and simple labelling
- Plastic cartridges and foil holders for the delivery of key documents such as packing lists, delivery notes or batch documentation

Interlock tie-on labels made of special paper

Heat-resistant up to 134°C, not self-adhesive, for single use

| | REF | Format in mm | Description | SU |
|------------|----------------|----------------|---------------------------------|------------|
| | A 04172 | 75 x 40 + 20 | With cross slot, white | 1000 units |
| | B 04162 | 90 x 50 + 20 | With hole, white | 1000 units |
| | B 04192 | 90 x 50 + 20 | With hole, red | 1000 units |
| | B 04193 | 90 x 50 + 20 | With hole, blue | 1000 units |
| | B 04194 | 90 x 50 + 20 | With hole, yellow | 1000 units |
| | B 04195 | 90 x 50 + 20 | With hole, green | 1000 units |
| | B 04216 | 110 x 60 + 20 | With hole, white | 1000 units |
| | B 04289 | 110 x 60 + 20 | With hole, Red on both sides | 1000 units |
| | B 04237 | 160 x 100 + 20 | With hole, White | 1000 units |
| NEW | B 05200 | 160 x 100 + 20 | With hole, Blue on both sides | 1000 units |
| NEW | B 05201 | 160 x 100 + 20 | With hole, Green on both sides | 1000 units |
| NEW | B 05202 | 160 x 100 + 20 | With hole, Yellow on both sides | 1000 units |
| NEW | B 05203 | 160 x 100 + 20 | With hole, Pink on both sides | 1000 units |

Plastic cartridges and foil holders for papers and labelling

Heat-resistant up to 134°C, for single use

| | REF | Format in mm | Description | SU |
|--|----------------|--------------|--|------------|
| | C 09778 | 146 x 63.5 | Plastic cartridge for documents and packing lists for identifying container inventories, Transparent | 24 units |
| | D 09779 | 140 x 95.3 | Foil holder for documents and product packing lists, self-adhesive, Transparent, for single use | 1000 units |
| | D 09780 | 160 x 140 | See REF 09779 | 1000 units |

Interlock display for marking of transport carts

Self-adhesive, can be removed without any residue, for single use

| | REF | Format in mm | Colour | Description | SU |
|--|----------------|--------------|--------|--------------------|-----------|
| | E 04332 | 150 x 90 | Green | „sterile MP _____“ | 250 units |

Interlock “Smiley” foil sticker

Self-adhesive, for single use

| | REF | Ø in mm | Colour | Description | SU |
|--|----------------|---------|--------|-------------|-----------|
| | F 04319 | 100 | Green | Positive | 100 units |
| | G 04320 | 100 | Red | Negative | 100 units |